

TRANSMITTAL OF FORMAL DRAWINGS

Docket No.
ST9-99-167

In Re Application Of: Chi-Pei Michael Hsing, et al.

Serial No.	Filing Date	Batch No.	Examiner	Art Unit
Not Assigned	February 24, 2000	N/A	Not Assigned	Not Assigned


Invention: SECURE ACCESS TO A UNIFIED LOGON-ENABLED DATABASE SERVER

Address to:
Assistant Commissioner for Patents
Washington, D.C. 20231

Transmitted herewith are:

4 sheets of formal drawing(s) for this application.

Each sheet of drawing indicates the identifying indicia suggested in 37 CFR Section 1.84(c)
on the reverse side of the drawing.



Signature
Janaki Komanduri, Reg. No. 40,684
PRETTY, SCHROEDER & POPLAWSKI, P.C.
444 South Flower Street, 19th Floor
Los Angeles, CA 90071
Tel: 213-622-7700
Fax: 213-489-4210

Dated: February 24, 2000




FIG. 1

FIG. 1 is a block diagram of a system for providing a user with a secure environment for executing a program. The system includes a user interface, a program, a secure environment, and a secure environment manager. The user interface is used to provide a user with a secure environment for executing a program. The program is used to provide a user with a secure environment for executing a program. The secure environment is used to provide a user with a secure environment for executing a program. The secure environment manager is used to provide a user with a secure environment for executing a program.

FIG. 2 is a block diagram of a system for providing a user with a secure environment for executing a program. The system includes a user interface, a program, a secure environment, and a secure environment manager. The user interface is used to provide a user with a secure environment for executing a program. The program is used to provide a user with a secure environment for executing a program. The secure environment is used to provide a user with a secure environment for executing a program. The secure environment manager is used to provide a user with a secure environment for executing a program.

200

1	2	3	4	5	6	7	8	9
the fourth string of the IP address	server user ID	separator ''	the third string of the IP address	server password	separator ''	the second string of the IP address	client user name	the first string of the IP address
3 bytes	variable	1 byte	3 bytes	variable	1 byte	3 bytes	variable	3 bytes

FIG. 2




FIG. 3

FIG. 4

